

LineLazer®

Professional Airless Line Striping Systems



There is no other pavement line striping system like the LineLazer airless professional striping system.

Since 1990 Graco's LineLazer® airless line striping systems have led the pavement striping industry.

The LineLazer family of stripers has constantly been improved to meet the changing needs of the pavement marking industry, each time delivering substantial benefits to the professional striping contractor. The LineLazer IV System continues the tradition of delivering innovation and performance, creating an unmatched family of stripers.

Graco offers world-class striping solutions that are built in the U.S.A. with Honda* engines.







Table of Contents

	G4 Difference	
	Applications	
	LineLazer IV Features	
	LineLazer 3400	
	LineLazer IV 3900/59008	
	LineLazer 130Hs / LineLazer IV 200Hs9	
	Auto-Layout [®] System10	
	LineLazer IV 3900/5900 Auto-Layout System11	A
	LineLazer IV 200Hs Auto-Layout System12	
	LineLazer IV 250sps Self-Propelled System	
	LineDriver°/LineDriver HD	
	Endurance Advantage Program	
	Accessories	
	Accessories – SwitchTips	
	Warranty	
_	Specifications	A
		100
	To the same of the	
		-
	The state of the s	1
		1
		5
0.0		V
	The state of the s	

The G4 Difference... We Build It. We Back It. Period.



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Graco is the industry's preferred choice for airless line striping systems, backed by a reputation for proven quality, maximum performance, warranty coverage and excellent on-the-job productivity. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Each LineLazer striper boasts Graco quality and dependability that you can count on. For more than 20 years striping contractors have turned to Graco.

MAXIMUM PERFORMANCE

Each LineLazer System is engineered to deliver maximum performance for completing jobs quickly and efficiently.

INDUSTRY LEADING WARRANTY

Graco backs each LineLazer System with a full 3-year warranty from defects in material and workmanship.

UNMATCHED PRODUCTIVITY

Superior design, innovative technology means you'll be getting the highest productivity in a line striping system

Applications



AIRPORTS

Airports offer professional striping contractors opportunities to add on to their existing striping jobs. The LineLazer IV System is sure to have the right striping solution.



PARKING LOTS

As larger lots become more popular, you can finish them faster and more efficiently with the LineLazer IV airless stripers.



INTERSECTIONS

From arrows and crosswalks to entire intersections there are many ways to grow your business with LineLazer IV airless stripers.



CONSTRUCTION ZONES

Construction zones offer additional incremental striping opportunities. The LineLazer IV striper's smaller size allows it to quickly put down stripes, insuring a safe construction zone.



Graco has the Right Solutions for all your Line Striping Needs





Now get higher productivity, with less fatigue. Why walk when you can ride?

The patented *LineDriver* and *LineDriver HD*attachments provide the most innovative, user-friendly ride-on systems for the professional line striping contractor in the industry.

Swivel Front Wheel Mount System

Swivel Front Wheel Mount System with its
Fat Track front tire allows
maneuverability and ease
of use.



Features found on Graco LineLazer IV Stripers

Honda[®] **Power**

Honda Engine – Reliable, technologically advanced and easy to start. Includes field proven Oil Alert System that contractors can depend on.

Advanced Vibration Reduction System

Advanced Vibration Reduction System – Removes engine vibration, taking line quality to the next level!









The **Easy Out Filter** is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris.

SmartControl[™] Digital Tracking System

SmartControl Digital Tracking System features a digital display that shows psi, mph, mils-instant average, lineal foot, gallons and mils-total – all on one screen.







LineLazer 3400

LineLazer 3400

DESCRIPTION PART #: LineLazer 3400 (1-Gun) 248861

SPECIFICATIONS:

MAX TIP SIZE: 0.027 1-Gun
MAX GPM (LPM): 0.75 (2.8)
MAX PSI (BAR): 3300 (227)

HONDA GX

ENGINE CC (HP): 120 (4.0)
WEIGHT LBS (KG): 145 (65)

The **LineLazer 3400** is the preferred choice for contractors who are looking for professional performance in a 1-gun striper. This striper is ideal for parking lots and seal coating contractors, schools and park and recreation departments.



Chromex Pump Rod

- Long life rod treatment for the most demanding materials
- ► Four times harder than ordinary chrome

Front Swivel Wheel

- Provides easier "up to the curb" parking lot striping and hard-to-do curves
- ▶ Tapered locking pin design for years of dependable operation



LineLazer IV 3900/5900

Both the LineLazer IV 3900 and 5900 are the clear leaders for 2-qun professional stripers and are designed to deliver the most precise and consistent lines in the industry. Materials sprayed are most heavy, low VOC, waterborne and solvent striping paints. These stripers are ideal for mid-to-heavy-duty line striping requirements.

Advantage Drive System

- Heavy-duty clutch automatically adjusts and aligns for long life
- Hardened gears offer proven durability with quiet, efficient operation





Lightweight Gun Holder

- ▶ To minimize gun movement caused by rough pavement conditions
- Durable, extruded aluminum design
- Spring-assisted cable return for positive gun shut-off

Advanced Vibration Reduction System

Removes engine vibration, taking line quality to the next level

Rear Gun Mount System

- Place the guns near the rear axle for straighter long lines and smoother curved lines
- Great gun visibility, especially on glass bead applications



LineLazer IV 3900

DESCRIPTION PART #: LineLazer IV 3900 (1-Gun) 248862 LineLazer IV 3900 (2-Guns) 248863

SPECIFICATIONS:

MAX TIP SIZE: 0.036 1-Gun 0.025 2-Guns

MAX GPM (LPM): 1.25 (4.7) 3300 (227) MAX PSI (BAR):

HONDA GX

ENGINE CC (HP): 120 (4.0) WEIGHT LBS (KG): 212 (96)

LineLazer IV 5900

DESCRIPTION PART #: LineLazer IV 5900 (1-Gun) 248866 LineLazer IV 5900 (2-Guns) 248867

SPECIFICATIONS:

MAX TIP SIZE: 0.043 1-Gun 0.029 2-Guns


MAX GPM (LPM): 1.60 (6.0) 3300 (227) MAX PSI (BAR):

HONDA GX

LineLazer IV 3900

ENGINE CC (HP): 160 (5.5) **WEIGHT LBS (KG):** 232 (105)





LineLazer 130_{Hs}/ LineLazer IV 200Hs

LineLazer 130_{Hs}

DESCRIPTION PART #: LineLazer 130_{HS} 287025 (2-Gun Unit Only)

SPECIFICATIONS:

MAX TIP SIZE: 0.029 MAX GPM (LPM): 1.3 (4.9) MAX PSI (BAR): 3300 (227) **HONDA GX**

ENGINE CC (HP): 120 (4.0) WEIGHT LBS (KG): 240 (108)

LineLazer IV 200_{HS}

DESCRIPTION LineLazer IV 200Hs (1-Gun) 248870 LineLazer IV 200Hs (2-Guns) 248871

SPECIFICATIONS:

0.047 1-Gun MAX TIP SIZE: 0.034 2-Guns

MAX GPM (LPM): 2.15 (8.14) 3300 (227)

MAX PSI (BAR): **HONDA GX**

ENGINE CC (HP): 160 (5.5) WEIGHT LBS (KG): 277 (125)

The LineLazer 130Hs and the LineLazer IV 200Hs are hydraulic airless stripers for your most demanding jobs. Start out with the 130Hs and move up to the 200Hs as you and your business grow. Materials sprayed are most heavy, low VOC, waterborne and rubberized traffic paints. These stripers are ideal for your large, continuous line striping requirements.



Provides consistent spraying pressure, reducing pulsation and line variations

Digital Tracking System keeps you informed on



Chromex Pump Rod

- ► Long life rod treatment is a proven performer
- Four times harder than ordinary chrome



Cooling Fan Design

to keep the hydraulic pump running cool

High-Capacity Cooling System

- Larger hydraulic fluid reservoir keeps the system running cool
- Innovative cooling fins wrap down and under the reservoir for improved air flow









Eliminate the hassle of manually laying out parking stalls and pre-marking road lines with the **Auto-Layout System** from Graco. Only Graco offers a "better way" to tackle the tough layout jobs with the Auto-Layout System.

Parking Lot Layout




Accurately places layout dots for you.



Simply connect the dots.

Roadline Layout



Pre-mark and apply stripes in one pass.

SmartControl Digital Tracking System

▶ Track, measure and control every aspect of your job

Auto-Layout System Digital Displays



Striping Mode

Auto-Layour: System

PROUSE FIXE

O orh

STRUC SIZE

FIXE

O 0

O 0

Parking Lot Mode



Road Mode

Finish Jobs Faster

- Up to 30% faster with walk behind stripers
- ▶ Up to 50% faster when using the LineDriver attachment

Less Hassle, Less Fatigue

- No bending to mark the lines
- Eliminates the strain to read the tape measure
- Takes the hassle out of calculating distances and stall sizes

Pin Point Accuracy

- Accurate to 1/4 inch at 100 ft
- ▶ Simple to use every time

NO MORE...

- Tape measures
- Calculation errors
- Guessing
- Sore backs
- Wasted energy
- Missed opportunities

Auto-Layout System automatically places dots for layout jobs — saving you time and money

Digital Display

The display now shows psi, mph, mils-instant average, lineal foot, gallons and mils-total – all on one screen





LineLazer IV 3900/5900 Auto-Layout System

LineLazer IV 3900 Auto-Layout System

DESCRIPTION PART #: LineLazer IV 3900 Auto-Layout System (1-Gun) 253920 LineLazer IV 3900

Auto-Layout System (2-Guns) 253953

SPECIFICATIONS:

MAX TIP SIZE: 0.036 1-Gun 0.025 2-Guns

MAX GPM (LPM): 1.25 (4.7)
MAX PSI (BAR): 3300 (227)

HONDA GX

ENGINE CC (HP): 120 (4.0)
WEIGHT LBS (KG): 212 (96)

LineLazer IV 5900 Auto-Layout System

DESCRIPTION PART #
LineLazer IV 5900

Auto-Layout System (1-Gun) 253921 LineLazer IV 5900

Auto-Layout System (2-Guns) 253954

SPECIFICATIONS:

MAX TIP SIZE: 0.043 1-Gun 0.029 2-Guns

MAX GPM (LPM): 1.60 (6.0)

MAX PSI (BAR): 3300 (227)


HONDA GX

ENGINE CC (HP): 160 (5.5)
WEIGHT LBS (KG): 232 (105)



Both the **LineLazer IV 3900** and **5900** feature the Auto-Layout System allowing you to do layout jobs without the "hassle and pain" of manual systems. These stripers are ideal for your continuous, heavy-duty line striping jobs and are excellent for medium to large parking lot layouts.

Easy Out Filter



Built to last in all conditions

Rear Gun Mount System

- Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
- Combine with Auto-Layout System for one pass dot marking and line striping

Advanced Vibration Reduction System

Removes engine vibration, taking line quality to the next level

LineLazer IV 200HS **Auto-Layout System**

High performance along with the exclusive Auto-Layout System makes the **LineLazer 200**Hs the preferred striper for professional contractors who demand hydraulic power. This striper is ideal for large, heavy-duty line striping jobs including parking lots and road layout jobs.

Hydraulic Power

- Cool running hydraulic power
- No-stall design
- ► Field proven performance

Exclusive Durable Can Holder Design

- ► Folds up for on-board storage
- Built to last in all conditions
- Proven performer

Chromex Pump Rod

- Long life rod treatment built
 Four times harder than ordinary chrome
 - ► Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
 - Combine with Auto-Layout System for one pass dot marking and line striping

Rear Gun Mount System



LineLazer IV 200HS **Auto-Layout System**

DESCRIPTION PART #: LineLazer IV 200hs Auto-Layout System (1-Gun) 253922 LineLazer IV 200hs

Auto-Layout System (2-Guns) 253955


SPECIFICATIONS:

MAX TIP SIZE: 0.047 1-Gun 0.034 2-Guns

MAX GPM (LPM): 2.15 (8.14) MAX PSI (BAR): 3300 (227)

HONDA GX

ENGINE CC (HP): 160 (5.5)
WEIGHT LBS (KG): 277 (125)



Digital Display

- Display shows psi, mph, mils-instant average, lineal foot, gallons and mils-total – all on one screen
- Simple push button design makes it easy to use
- Back-lit feature can be seen in all conditions



LineLazer IV 250sps Self-Propelled System

LineLazer IV 250sps

(Patent Pending)

DESCRIPTION PART #: LineLazer IV 250sps 24F307

(2-Gun Unit)

SPECIFICATIONS:

MAX TIP SIZE: 0.055 1-Gun

0.039 2-Guns

MAX GPM (LPM): 2.5 (9.5) MAX PSI (BAR): 3300 (227)

HONDA GX

ENGINE CC (HP): 270 (9.0)
WEIGHT LBS (KG): 600 (270)

Introducing the next evolution in line striping...

Graco's LineLazer family introduces its all new, most innovative unit – the **LineLazer IV 250**sps. Graco now offers the industry's first stand-on, self-propelled striping unit. The LineLazer IV 250sps is the stand-on striping solution for improved visibility and razer sharp lines.






Rear Stand-on or Flip-up Platform System

Integrated platform provides ergonomic place for standing, great sight line and all-day comfort or flip-up platform for walk-behind operation.



Features



6 Flex Plus[™] Guns Industry proven paint guns with

Endurance Piston Pump System Long life pump provides precise flow for wide range of striping materials.

8 Rear Gun Mount System Provides straighter long lines - perfect for bike paths, airports and other long line jobs.

Self-Centering Front Wheel Eliminates one user interface for simpler operation.



Auto-Layout System

New automatic gun system allows marking to be done with guns rather than with the assistance of aerosol cans.



Dashboard Controls

- 1 Throttle Control
- 4 #2 Gun
- 2 Remote Choke
- 5 Power On/Off
- (3) #1 Gun
- 6 Pressure Control
- **7** LCD Display

4




LineDriver/LineDriver HD

Why walk when you can ride? Graco offers two high performance LineDriver attachments to connect to your LineLazer striper to double your striping productivity. The LineDriver

and LineDriver HD attachments provide the most innovative, user-friendly ride-on systems for the professional striping contractor. **Exclusive FlexBeam™ Break-A-Way Light System** Break-A-Way design prevents costly repairs and keeps you on the job Fully adjustable for all types of low light applications



RIVER:



Easy to operate

Patented



Exclusive ProStart Engine Starting System

- ▶ Up to 50% less pulling effort to start the engine no more broken recoils
- Outperforms manual pull and electric start systems when the weather starts turning cooler

LineDriver

DESCRIPTION PART #: **LineDriver** 262004

LINEDRIVER SPECS:

OPERATING SPEED: Up to 10 mph (16 km/h)

Reverse 6 mph (10 km/h)

FIIFI

CAPACITY GAL (LTR): 0.95 (3.6)

HONDA GX

ENGINE CC (HP): 160 (5.5) STARTING SYSTEM: **Manual Pull** WEIGHT LBS (KG): 265 (120)

LineDriver HD

DESCRIPTION PART #: **LineDriver HD** 262005

LINEDRIVER HD SPECS:

OPERATING SPEED: Up to 10 mph (16 km/h)

Reverse 6 mph (10 km/h)

FUEL

CAPACITY GAL (L): 0.95 (3.6)

HONDA GX

ENGINE CC (HP): 200 (6.5) STARTING SYSTEM: **ProStart System**

WEIGHT LBS (KG): 275 (125)



Patented dual foot pedal system for forward and reverse. Stripe without having to PUSH!

LineDriver HD



ENDURANCE ADVANTAGE

PROGRAM

A Solution to Keep You Striping

Purchase any new Graco LineLazer line striper and you can purchase an Endurance™ Pump for up to 80% OFF the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a FREE Repair Kit instead. With reliability you can count on, Graco ensures you'll always be up and striping! Follow the registration instructions included with your striper. No matter what your choice, you'll soon discover how quickly and easily the QuikChange[™] lowers get you up and striping.





- ✓ On the Job Replacement ✓ No Special Tools Needed
- ✓ Quick and Easy Change
- ✓ Less Down Time

PROVEN QUALITY. LEADING TECHNOLOGY.



ACCESSORIES



Dispense beads automatically.

6 Inch: EZ Bead Systems

277064 Complete 2-Bead Dispenser System. Includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets. For use on LineLazer 3500, 3900, 5000, 5900 and 200_{Hs}.

24M838 Complete 2-Bead Dispenser System. (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets. For use on LineLazer IV 250sps.

277065 Complete 1-Bead Dispenser System. Includes: (1) 6 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets. For use on LineLazer 3500, 3900, 5000, 5900 and 200_{Hs}.

24M641 Complete 1-Bead Dispenser System. Includes: (1) 6 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets. For use on LineLazer IV 250sps.

277067 Replacement Kit. Includes: (1) 6 in Bead Dispenser, (1) Hose, (1) Wind Deflector. For use on LineLazer 3500, 3900, 5000, 5900,200Hs and LineLazer IV 250sps.

12 Inch: EZ Bead Systems

24N265 Complete 1-Bead Dispenser System. Includes: (1) 12 in Bead Dispenser, (1) Wind Deflector, (2) Hose, (1) Bead Hopper with brackets. For use on LineLazer 3500, 3900, 5000, 5900 and 200_{Hs}.

Complete 1-Bead Dispenser System. Includes: (1) 12 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets. For use on LineLazer IV 250sps.
 Replacement Kit. Includes: (1) 12 in Bead Dispenser, (1) Hose, (1) Wind Deflector.

For use on LineLazer 3500, 3900, 5000, 5900,200Hs and LineLazer IV 250SPs.

EZ BEAD WIND DEFLECTOR KITS

▶ Shields beads from wind and helps keep lines sharp and crisp.

277066 Wind Deflector Kit for 6 in Aluminum Dispenser. Includes (6) deflectors. For LineLazer 3500, 3900, 5000, 5900, 200Hs and LineLazer IV 250sps.

Wind Deflector Kit for 12 in Aluminum Dispenser. Includes (3) deflectors. For LineLazer 3500, 3900, 5000, 5900, 200hs and LineLazer IV 250sps.

245519 Wind Deflector Kit for 6 in Plastic Dispenser. Includes (6) deflectors. For LineLazer I and II.

GUN AND HOSE KITS

▶ Airless hose connects directly to gun through spring guard mount.

248157 FlexPlus Striping Gun with LL5319 Tip

245225 LineLazer Hose with E-nickel fittings, 3/8 in x 50 ft, 3300 psi 245798 LineLazer Hose with E-nickel fittings, 1/4 in x 7 ft, 3300 psi

249080 Coupled Hose, 1/4 in x 50 ft, 3300 psi (LineLazer 3400 only)

124884 LineLazer Hose with E-nickel fittings, 3/8 in x 20 ft, 3300 psi (LineLazer IV 250sps only)

2ND GUN KITS

287553 Complete kit for two-gun striping with the LineLazer IV models (5900, 200Hs)
287553 Complete kit for two-gun striping with the LineLazer III models (3900, 5900)
241284 Complete kit for two-gun striping with the LineLazer II models (3900, 5900)
24M679 Complete kit for two-gun striping with the LineLazer IV (250sps striper only)

LINELAZER LINE POINTERS

277062 Short Pointer Guide – 25 in for LineLazer III and LineLazer IV models 277063 Long Pointer Guide – 40 in for LineLazer III and LineLazer IV models

24N162 Adjustable Pointer Guide – 40 in retractable pointer for LineLazer IV 250sps only





ACCESSORIES

LINELAZER IV LIGHT KITS

▶ Provides improved visibility in low-light conditions.

277061 High-output LED light for use with LineLazer IV stripers. Includes multiposition mounting hardware and 7 ft cable for mounting location flexibility.

24M598 High-output light for use with the LineLazer IV 250sps striper only.



Spend less time refilling and more time striping.

241104 15 Gallon for LineLazer 3900, 5900, 130нs and 200нs

241103 15 Gallon for LineLazer 3500, 5000 (Order Suction Kit 238962 for use with LineLazer 3500)

278452 25 Gallon for LineLazer IV 250sps only

287590 Plastic Hopper Cover

SPRAY SHIELD KIT

Attaches easily to any LineLazer line striper to contain the spray pattern when applying turf paints.

249081 Adjustable Spray Shield Kit

WHEEL REPLACEMENTS

241105 Fat Track Retro Kit for LineLazer 3500, 5000
 113479 Front wheel replacement for LineLazer IV 250sps

SAFETY CONE CARRIER

16P015 For all LineLazer IV models

ALL-TERRAIN TIRES

Wide, low pressure all-terrain tires.

249083 All-terrain tire for LineDriver and LineDriver HD. Contains 2 tires, rim-mounted.

249082 All-terrain tire for LineLazer IV 3900, 5900, 130Hs, 200Hs and 250SPs. Contains 2 tires,

rim-mounted; wheel bearings. Does not work with LineLazer IV Auto-Layout.

HITCH KIT

245321 Hitch Kit for LineLazer III and IV

BATTERY KIT

245343 LineDriver Auxiliary Battery Kit



15 Gallon Hopper



25 Gallon Hopper





SWITCHTIP™ SPRAY TIPS

for LineLazer Stripers

Graco's complete line of LineLazer SwitchTip spray tips have the right tip for all your striping needs.



LINELAZER RAC° 5 SWITCHTIP SPRAY TIPS • 2 IN (51 MM)

- 286113 LineLazer SwitchTip Light film build and sport court applications
- LL5213 LineLazer SwitchTip Heavy film build and sport court applications
- LL5215 LineLazer SwitchTip Light film build and sport court applications
- LL5217 LineLazer SwitchTip Medium film build and alkyd paints applications
- LL5219 LineLazer SwitchTip Heavy film build and alkyd paints applications



LINELAZER RAC 5 SWITCHTIP SPRAY TIPS • 4 IN (102 MM)

- LL5315 LineLazer SwitchTip Light film build for most traffic paints
- LL5317 LineLazer SwitchTip Medium film build for most traffic paints
- LL5319 LineLazer SwitchTip Medium film build for most traffic paints
- LL5321 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5323 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5325 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5327 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5329 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5331 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5333 LineLazer SwitchTip Heavy film build for most traffic paints
- LL5335 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5339 LineLazer SwitchTip - Heavy film build for most traffic paints LL5343 LineLazer SwitchTip - Heavy film build for most traffic paints



LINELAZER RAC 5 SWITCHTIP SPRAY TIPS • 4-8 IN (102-204 MM)

- LL5417 LineLazer SwitchTip Light film build for all paints and high solids traffic paints
- LL5419 LineLazer SwitchTip Medium film build for all paints and high solids traffic paints
- LineLazer SwitchTip Heavy film build for all paints and high solids traffic paints LL5421
- LL5423 LineLazer SwitchTip Heavy film build for all paints and high solids traffic paints
- LL5425 LineLazer SwitchTip Heavy film build for all paints and high solids traffic paints
- LineLazer SwitchTip Heavy film build for all paints and high solids traffic paints
- LL5429 LineLazer SwitchTip Heavy film build for all paints and high solids traffic paints
- LL5431 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5435 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5439 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5443 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints



LINELAZER RAC 5 SWITCHTIP SPRAY TIPS • 8-12 IN (204-305 MM)

- LineLazer SwitchTip Light film build and all traffic paint applications
- LL5623 LineLazer SwitchTip Heavy film build and all traffic paint applications
- LL5625 LineLazer SwitchTip Light film build and all traffic paint applications
- LL5627 LineLazer SwitchTip - Medium film build and all traffic paint applications
- LL5629 LineLazer SwitchTip Heavy film build and all traffic paint applications
- LL5631 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5635 LineLazer SwitchTip Heavy film build and all traffic paint applications
- LL5639 LineLazer SwitchTip Light film build and all traffic paint applications
- LL5643 LineLazer SwitchTip Light film build and all traffic paint applications



NOBODY ELSE BUILDS LINE STRIPERS LIKE GRACO

3-YEAR WARRANTY

Coverage against defects in materials and workmanship on the entire striper.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE

Dissatisfied? Simply return the striper to the place you bought it within 30 days. They'll either

exchange it for an identical striper or you can trade up to a larger striper at an extra cost.

DOWNTIME ELIMINATOR PROGRAM

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CST.

LINE STRIPER SPECIFICATIONS









		LineLazer 3400	LineLazer IV 3900	LineLazer IV 3900 Auto-Layout System	LineLazer 130Hs
MODEL	Part Number	248861 1-Gun	248862 1-Gun 248863 2-Guns	253920 1-Gun 253953 2-Guns	 287025 2-Gun Unit Only
	Maximum Tip Size	0.027	0.036	0.036	0.029
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
ا د	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)	1.25 (4.7)	1.30 (4.9)
SPECIFICATIONS	Honda GX Engine cc (hp)	120 (4.0)	120 (4.0)	120 (4.0)	120 (4.0)
CIF	Weight lbs (kg)	145 (65)	212 (96)	212 (96)	240 (108)
SPE	Gun Support: 1-Gun 2-Guns	0.027 —	0.036 0.025	0.036 0.025	 0.029
	Gun	Flex Plus	Flex Plus	Flex Plus	Flex Plus
INCLUDES	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless
	Tip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip
	Filter	60 Mesh Easy Out			
	Туре	QuikChange System	QuikChange System	QuikChange System	QuikChange System
ا ہا	Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess
PUMP	Rod	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST
	Packings	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
TRACKING FUEL TANK	Tracking System	N/A	SmartControl 1.0	Auto-Layout	N/A
TRAC FU TAI	Fuel Capacity gal (Itrs)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)





		LineDriver	LineDriver HD
MODEL	Part Number	262004	262005
SPECIFICATIONS	Operating Speed: Forward mph (km/h) Reverse mph (km/h)	to 10 (16) to 6 (10)	to 10 (16) to 6 (10)
	Honda GX Engine Size cc (hp)	160 (5.5)	200 (6.5)
	Weight lb (kg)	265 (120)	275 (125)
	Fuel Capacity gal (ltr)	.95 (3.6)	.95 (3.6)
	Engine Starting System	Manual Pull	ProStart











LineLazer IV 5900	LineLazer IV 5900 Auto-Layout System	LineLazer IV 200нs	LineLazer IV 200нs Auto-Layout System	LineLazer IV 250sps Self-Propelled System
248866 1-Gun 248867 2-Guns	253921 1-Gun 253954 2-Guns	248870 1-Gun 248871 2-Guns	253922 1-Gun 253955 2-Guns	— 24F307 2-Gun Unit Only
0.043	0.043	0.047	0.047	0.055
3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
1.60 (6.0)	1.60 (6.0)	2.15 (8.14)	2.15 (8.14)	2.50 (9.5)
160 (5.5)	160 (5.5)	160 (5.5)	160 (5.5)	270 (9.5)
232 (105)	232 (105)	277 (125)	277 (125)	600 (270)
0.043 0.029	0.043 0.029	0.047 0.034	0.047 0.034	0.055 0.039
Flex Plus				
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 20 ft (9.5 mm x 6.0 m) BlueMax II Airless
LineLazer RAC 5 SwitchTip				
60 Mesh Easy Out				
QuikChange System				
QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
Chromex	Chromex	Chromex	Chromex	Chromex
Hardened SST				
V-Max Blue				
SmartControl 1.0	Auto-Layout	SmartControl 1.0	Auto-Layout	Auto-Layout
0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	1.40 (5.3)

No matter what line striping job you face, Graco has the Total *Striping* Solution for you!





ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

Fax: 612-623-6777

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000

AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700

Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia

Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088

Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001

Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955

©2012 Graco Inc. 336673 Rev. G 4/12 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For patent information, see www.graco.com/patents.